

IN THE CLAIMS:

1. (Currently amended) Apparatus for constructing an edging for a deck of a swimming pool having a retractable pool cover, wherein an elongated track for the pool cover is attached to a wall of the swimming pool, comprising:

- (a) ~~a~~ a form member shaped to form the edging, and
- (b) ~~a~~ a support member adapted to be removably coupled to the form member and to removably couple the form member to the elongated track.

2. (Original) The apparatus of claim 1, wherein the form member includes a portion adapted to removably couple to the support member.

3. (Currently amended) The apparatus of claim 2, wherein the portion ~~of the form member includes structure~~ is configured to mate with ~~structure on~~ the support member.

4. (Currently amended) The apparatus of claim 1, wherein the support member is configured to support the edging with the form member removed from the support member before the edging has hardened. ~~has a first portion adapted to removably couple to the elongated guide track, and a second portion adapted to removably couple to the form member.~~

5. (Currently amended) The apparatus of claim 4 wherein the ~~first portion of the support member includes structure~~ is configured to enable the form member to be removed from the support member before the edging has hardened without damaging the edging. ~~mate with structure on the elongated guide track.~~

6. (Currently amended) The apparatus of claim 4, wherein the second portion of the support member ~~includes structure~~ is configured to mate with ~~structure on~~ the form member.

7. (Original) The apparatus of claim 1, further comprising a coupling member for removably coupling the form member to the support member.

8. (Currently amended) The apparatus of claim 7, wherein the coupling member is adapted to removably secure ~~the structure on the~~ form member in a mating relationship with ~~to the structure of~~ the second portion of the support member.

9. (Currently amended) The apparatus of claim 1, wherein the form member includes an alignment member thereon for aligning and coupling the form member to adjacent form members.

10. (Original) The apparatus of claim 9, wherein the alignment member is a channel formed to accept a splice member for aligning and coupling the form member to the adjacent form members.

11. (Currently amended) Apparatus for constructing an edging for a deck of a swimming pool having a retractable pool cover, wherein an elongated track is attached to a wall of the swimming pool for coupling to a guide member for the pool cover, comprising:

a form member shaped to form the edging, and

a support member having a first portion adapted to removably mate to the elongated guide track, and having a second portion adapted to removably mate to the form member.

12. (Original) The apparatus of claim 11, wherein the form member includes a portion adapted to removably mate to the second portion of the support member.

13. (Currently amended) The apparatus of claim 11 wherein the first portion of the support member includes track mating portion structure to mate with a support mating portion structure ~~structure on the~~ elongated track.

14. (Currently amended) The apparatus of claim 11, wherein the second portion of the support member includes form mating ~~portion structure~~ to mate with mating portion structure on the form member.

15. (Original) The apparatus of claim 11, further comprising a coupling member for removably securing the form member to the support member in a mating relationship.

16. (Original) The apparatus of claim 15, wherein the coupling member is a removable clamp.

17. (Currently amended) The apparatus of claim 11, wherein the form member has a ~~support member mating portion structure~~ on a bottom portion of the form member, the mating portion adapted to mate with the support member.

18. (Currently amended) The apparatus of claim 17, wherein the second portion of the support member has a form ~~member-mating portion structure~~ on a top portion of the support member to mate with the support ~~member-mating portion structure~~.

19. (Currently amended) The apparatus of claim 11, wherein the first portion of the support member includes a track mating ~~portion structure~~ to mate with a support ~~member mating portion structure~~ on the elongated track.

20. (Original) The apparatus of claim 11, wherein the form member is removably secured to the support member so that it may be removed from the support member before the edging has hardened without damaging the edging.

21. (Original) The apparatus of claim 11, wherein the form member is shaped to form a cantilevered shaped edging.

22. (Original) The apparatus of claim 11, wherein the form member is shaped to form a bull-nose shaped edging.

23. (Original) The apparatus of claim 11, wherein the form member is shaped to form an inclined shaped edging.

24. (Currently amended) A method for constructing an edging for a deck of a swimming pool having a retractable pool cover, wherein an elongated track for the pool cover is attached to a wall of the swimming pool, comprising:

(a) ~~removably~~ coupling a support member to the elongated track, and
(b) ~~removably~~ coupling a form member, shaped to form the edging, to the support member.

25. (Original) The method of claim 24, further comprising removably mating the form member to the support member.

26. (Currently amended) The method of claim 24, further comprising supporting the edging with the support member wherein the form member may be removed from the support member before the edging has hardened ~~removably mating a first portion on the support member to the elongated track, and removably mating a second portion on the support member to the form member.~~

27. (Currently amended) The method of claim ~~24~~26, further comprising removing the form member from the support member before the edging has hardened without damaging the edging ~~coupling the form member and the support member with a removable coupling member.~~

28. (Original) The method of claim 24, further comprising removably coupling the form member with adjacent form members.

29. (Original) The method of claim 24, wherein the form member is mated to the support member, so as to be removed after the edging is formed.

30. (Original) The method of claim 29, wherein the form member is mated to the support member, so as to be removed before the edging has hardened.

31. (Currently amended) A method for constructing an edging for a deck of a swimming pool having a retractable pool cover, wherein an elongated track is attached to a wall of the swimming pool for coupling to a guide member for the pool cover, comprising:

(a) ~~removably~~ mating a first portion of a support member to ~~an~~ the elongated track,
and

(b) ~~removably~~ mating a second portion of the support member to a form member shaped to form the edging.

32. (Currently amended) The method of claim 31, comprising removably mating the second portion of the support member to a support ~~member~~ mating portion ~~structure~~ on the form member.

33. (Currently amended) The method of claim 31, comprising removably mating the first portion of the support member to a support mating portion ~~structure~~ on the elongated track